

## Cancer Deaths in Alaska, 1996 to 2006, by Race

**Session Type:** Rate

**Suggested Citation**

**Software:** Surveillance Research Program, National Cancer Institute SEER\*Stat software ([www.seer.cancer.gov/seerstat](http://www.seer.cancer.gov/seerstat)) version 6.5.2.

**Data:** Alaska Bureau of Vital Status SEER\*Stat Database - Mortality data for death years 1996 to 2006. Released February 2009. Alaska population data for rate calculations are from the SEER Program (<http://www.seer.cancer.gov/popdata/>) and include populations by borough/census area, expanded races, and Hispanic origin.

**Data**

**Database:** AK Mortality w/Borough, Race, & Hispanic Pops (1996-2006), May 2009

**Statistic**

**Statistic:** Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)

**P-Values:** .05

**Options:** Display Confidence Intervals (Tiwari mod) and Standard Errors

**Selection**

**Select Only:** Known Age, Male or Female Sex

**Table**

**Page:** Year of death

**Row:** Cause of dth rec - Ca non-gender-specific [COD recode with Kaposi and mesothelioma]

**Column:** Race recode - 4 groups only [Race recode (W, B, AI, API)]

**Output**

**Title:** Cancer Deaths in Alaska, 1996 to 2006, by Race

**Suppress:** Statistics based on fewer than 6 cases

**Display Rates as:** Cases per 100,000

**Precision:** 1 decimal place (default)

## Cancer Deaths in Alaska, 1996 to 2006, by Race

## Total

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	185.8	180.5	191.2	5,635	193.0	162.9	226.4	192
<b>Oral Cavity and Pharynx</b>	2.6	2.1	3.2	92	^	^	^	^
<b>Lip</b>	^	^	^	^	0.0	0.0	3.3	0
<b>Tongue</b>	0.5	0.3	0.8	19	^	^	^	^
<b>Salivary Gland</b>	0.3	0.1	0.6	8	0.0	0.0	3.3	0
<b>Floor of Mouth</b>	^	^	^	^	0.0	0.0	3.3	0
<b>Gum and Other Mouth</b>	0.4	0.2	0.7	14	0.0	0.0	3.3	0
<b>Nasopharynx</b>	0.3	0.1	0.5	11	0.0	0.0	3.3	0
<b>Tonsil</b>	0.1	0.0	0.2	6	0.0	0.0	3.3	0
<b>Oropharynx</b>	0.2	0.1	0.4	7	^	^	^	^
<b>Hypopharynx</b>	^	^	^	^	0.0	0.0	3.3	0
<b>Other Oral Cavity and Pharynx</b>	0.5	0.3	0.9	20	0.0	0.0	3.3	0
<b>Digestive System</b>	41.1	38.6	43.7	1,221	52.3	36.9	71.0	48
<b>Esophagus</b>	4.4	3.6	5.2	148	^	^	^	^
<b>Stomach</b>	3.4	2.7	4.2	104	7.6	2.5	16.3	7
<b>Small Intestine</b>	0.3	0.2	0.6	11	^	^	^	^
<b>Colon and Rectum</b>	16.4	14.8	18.1	452	25.6	15.1	39.6	23
<b>Colon excluding Rectum</b>	13.5	12.0	15.1	364	19.5	10.8	31.6	19
<b>Rectum and Rectosigmoid Junction</b>	2.9	2.3	3.6	88	^	^	^	^
<b>Anus, Anal Canal and Anorectum</b>	0.3	0.1	0.6	12	0.0	0.0	3.3	0
<b>Liver and Intrahepatic Bile Duct</b>	4.7	3.9	5.5	151	^	^	^	^
<b>Liver</b>	3.5	2.8	4.3	112	^	^	^	^
<b>Intrahepatic Bile Duct</b>	1.2	0.8	1.6	39	0.0	0.0	3.3	0
<b>Gallbladder</b>	0.4	0.2	0.7	12	^	^	^	^
<b>Other Biliary</b>	0.3	0.1	0.6	9	0.0	0.0	3.3	0
<b>Pancreas</b>	10.2	9.0	11.5	306	5.8	1.7	13.2	6
<b>Retroperitoneum</b>	^	^	^	^	0.0	0.0	3.3	0
<b>Peritoneum, Omentum and Mesentery</b>	^	^	^	^	0.0	0.0	3.3	0
<b>Other Digestive Organs</b>	0.5	0.2	0.9	10	^	^	^	^
<b>Respiratory System</b>	55.4	52.6	58.3	1,699	58.4	43.3	76.6	61
<b>Nose, Nasal Cavity and Middle Ear</b>	^	^	^	^	0.0	0.0	3.3	0
<b>Larynx</b>	0.8	0.5	1.2	22	0.0	0.0	3.3	0
<b>Lung and Bronchus</b>	54.3	51.6	57.2	1,669	58.4	43.3	76.6	61
<b>Pleura</b>	^	^	^	^	0.0	0.0	3.3	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	^	^	^	^	0.0	0.0	3.3	0
<b>Bones and Joints</b>	0.4	0.2	0.6	20	0.0	0.0	3.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

## Total

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	241.6	228.9	254.8	1,508	115.6	99.7	133.0	235
<b>Oral Cavity and Pharynx</b>	7.5	5.4	10.1	46	^	^	^	^
<b>Lip</b>	0.0	0.0	0.5	0	0.0	0.0	1.6	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	1.6	0
<b>Salivary Gland</b>	^	^	^	^	0.0	0.0	1.6	0
<b>Floor of Mouth</b>	0.0	0.0	0.5	0	0.0	0.0	1.6	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	1.6	0
<b>Nasopharynx</b>	4.3	2.8	6.3	27	^	^	^	^
<b>Tonsil</b>	0.0	0.0	0.5	0	0.0	0.0	1.6	0
<b>Oropharynx</b>	^	^	^	^	0.0	0.0	1.6	0
<b>Hypopharynx</b>	0.0	0.0	0.5	0	0.0	0.0	1.6	0
<b>Other Oral Cavity and Pharynx</b>	1.6	0.7	3.0	9	0.0	0.0	1.6	0
<b>Digestive System</b>	85.8	78.2	93.8	529	39.1	30.4	49.3	82
<b>Esophagus</b>	8.6	6.3	11.4	51	^	^	^	^
<b>Stomach</b>	15.4	12.5	18.7	110	8.2	4.4	13.6	15
<b>Small Intestine</b>	^	^	^	^	^	^	^	^
<b>Colon and Rectum</b>	33.1	28.4	38.3	193	9.0	5.1	14.4	19
<b>Colon excluding Rectum</b>	26.9	22.6	31.7	154	5.9	3.1	10.1	14
<b>Rectum and Rectosigmoid Junction</b>	6.2	4.3	8.5	39	^	^	^	^
<b>Anus, Anal Canal and Anorectum</b>	^	^	^	^	0.0	0.0	1.6	0
<b>Liver and Intrahepatic Bile Duct</b>	8.8	6.5	11.6	55	12.8	8.5	18.3	32
<b>Liver</b>	6.5	4.5	8.9	41	12.5	8.3	18.0	31
<b>Intrahepatic Bile Duct</b>	2.3	1.2	3.9	14	^	^	^	^
<b>Gallbladder</b>	2.2	1.0	3.8	11	^	^	^	^
<b>Other Biliary</b>	1.1	0.4	2.3	6	^	^	^	^
<b>Pancreas</b>	14.7	11.7	18.2	92	6.6	2.9	12.1	10
<b>Retroperitoneum</b>	0.0	0.0	0.5	0	0.0	0.0	1.6	0
<b>Peritoneum, Omentum and Mesentery</b>	^	^	^	^	0.0	0.0	1.6	0
<b>Other Digestive Organs</b>	^	^	^	^	0.0	0.0	1.6	0
<b>Respiratory System</b>	69.6	62.8	76.8	425	28.0	20.0	37.6	50
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	0.5	0	0.0	0.0	1.6	0
<b>Larynx</b>	0.9	0.4	1.9	7	0.0	0.0	1.6	0
<b>Lung and Bronchus</b>	68.6	61.9	75.8	418	28.0	20.0	37.6	50
<b>Pleura</b>	0.0	0.0	0.5	0	0.0	0.0	1.6	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	0.5	0	0.0	0.0	1.6	0
<b>Bones and Joints</b>	0.0	0.0	0.5	0	0.0	0.0	1.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

## Total

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	1.3	0.9	1.7	52	^	^	^	^
Skin excluding Basal and Squamous	2.9	2.3	3.5	114	0.0	0.0	3.3	0
Melanoma of the Skin	2.3	1.8	2.8	93	0.0	0.0	3.3	0
Other Non-Epithelial Skin	0.6	0.4	1.0	21	0.0	0.0	3.3	0
Urinary System	9.5	8.3	10.9	257	^	^	^	^
Urinary Bladder	5.6	4.7	6.7	136	^	^	^	^
Kidney and Renal Pelvis	3.6	2.9	4.4	114	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	3.3	0
Other Urinary Organs	^	^	^	^	0.0	0.0	3.3	0
Eye and Orbit	^	^	^	^	0.0	0.0	3.3	0
Brain and Other Nervous System	4.7	4.0	5.5	184	^	^	^	^
Endocrine System	0.6	0.3	0.9	19	^	^	^	^
Thyroid	0.4	0.1	0.7	8	0.0	0.0	3.3	0
Other Endocrine including Thymus	0.2	0.1	0.4	11	^	^	^	^
Lymphoma	8.8	7.6	10.0	265	^	^	^	^
Hodgkin Lymphoma	0.5	0.3	0.8	19	0.0	0.0	3.3	0
Non-Hodgkin Lymphoma	8.3	7.2	9.5	246	^	^	^	^
Myeloma	3.8	3.1	4.7	106	^	^	^	^
Leukemia	8.0	6.9	9.2	225	7.6	2.9	15.5	10
Lymphocytic Leukemia	3.3	2.6	4.2	83	^	^	^	^
Acute Lymphocytic Leukemia	0.6	0.3	0.9	21	0.0	0.0	3.3	0
Chronic Lymphocytic Leukemia	2.4	1.7	3.1	52	^	^	^	^
Other Lymphocytic Leukemia	0.4	0.2	0.7	10	0.0	0.0	3.3	0
Myeloid and Monocytic Leukemia	3.0	2.4	3.8	102	5.5	1.9	12.2	8
Acute Myeloid Leukemia	2.2	1.6	2.8	76	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	0.1	0	0.0	0.0	3.3	0
Chronic Myeloid Leukemia	0.6	0.3	1.0	19	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.3	0.1	0.6	7	0.0	0.0	3.3	0
Other Leukemia	1.6	1.1	2.2	40	^	^	^	^
Other Acute Leukemia	0.6	0.3	0.9	14	0.0	0.0	3.3	0
Aleukemic, Subleukemic and NOS	1.0	0.6	1.6	26	^	^	^	^
Mesothelioma (ICD-10 only)	1.4	0.9	1.9	33	0.0	0.0	3.3	0
Miscellaneous Malignant Cancer	14.6	13.1	16.1	424	15.8	7.9	27.3	14

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

## Total

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	0.8	0.3	1.8	7	^	^	^	^
Skin excluding Basal and Squamous	1.3	0.5	2.6	8	^	^	^	^
Melanoma of the Skin	0.9	0.3	2.0	6	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	1.6	0
Urinary System	10.8	8.1	13.9	60	3.1	1.0	7.1	6
Urinary Bladder	3.1	1.7	5.1	15	^	^	^	^
Kidney and Renal Pelvis	7.6	5.5	10.3	45	^	^	^	^
Ureter	0.0	0.0	0.5	0	0.0	0.0	1.6	0
Other Urinary Organs	0.0	0.0	0.5	0	0.0	0.0	1.6	0
Eye and Orbit	^	^	^	^	0.0	0.0	1.6	0
Brain and Other Nervous System	1.5	0.7	2.6	13	4.4	2.2	8.0	12
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	1.6	0
Lymphoma	4.7	3.1	6.8	33	2.3	0.8	5.2	6
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1.6	0
Non-Hodgkin Lymphoma	4.5	3.0	6.6	31	2.3	0.8	5.2	6
Myeloma	2.6	1.5	4.1	18	4.7	1.9	9.2	9
Leukemia	4.1	2.7	5.9	33	3.8	1.4	7.7	7
Lymphocytic Leukemia	0.8	0.3	1.8	7	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	0.5	0	0.0	0.0	1.6	0
Myeloid and Monocytic Leukemia	2.1	1.3	3.4	19	^	^	^	^
Acute Myeloid Leukemia	1.7	0.9	2.9	14	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	1.6	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.5	0	0.0	0.0	1.6	0
Other Leukemia	1.2	0.5	2.4	7	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	1.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	1.6	0
Miscellaneous Malignant Cancer	25.1	21.1	29.6	155	7.9	4.1	13.3	15

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1996

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	220.4	198.9	243.2	501	351.4	200.7	556.9	21
<b>Oral Cavity and Pharynx</b>	3.8	1.5	7.6	9	0.0	0.0	54.9	0
<b>Lip</b>	0.0	0.0	1.5	0	0.0	0.0	54.9	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	54.9	0
<b>Salivary Gland</b>	^	^	^	^	0.0	0.0	54.9	0
<b>Floor of Mouth</b>	0.0	0.0	1.5	0	0.0	0.0	54.9	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	54.9	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	54.9	0
<b>Tonsil</b>	0.0	0.0	1.5	0	0.0	0.0	54.9	0
<b>Oropharynx</b>	0.0	0.0	1.5	0	0.0	0.0	54.9	0
<b>Hypopharynx</b>	^	^	^	^	0.0	0.0	54.9	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	54.9	0
<b>Digestive System</b>	53.5	42.7	66.0	109	^	^	^	^
<b>Esophagus</b>	5.2	2.1	10.1	10	0.0	0.0	54.9	0
<b>Stomach</b>	5.4	2.3	10.1	11	^	^	^	^
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	54.9	0
<b>Colon and Rectum</b>	25.4	18.0	34.4	50	^	^	^	^
<b>Colon excluding Rectum</b>	20.7	14.1	28.9	41	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	4.7	2.0	9.1	9	0.0	0.0	54.9	0
<b>Anus, Anal Canal and Anorectum</b>	^	^	^	^	0.0	0.0	54.9	0
<b>Liver and Intrahepatic Bile Duct</b>	2.1	0.7	4.9	6	0.0	0.0	54.9	0
<b>Liver</b>	^	^	^	^	0.0	0.0	54.9	0
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	54.9	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	54.9	0
<b>Other Biliary</b>	0.0	0.0	1.5	0	0.0	0.0	54.9	0
<b>Pancreas</b>	13.7	8.6	20.4	28	^	^	^	^
<b>Retroperitoneum</b>	0.0	0.0	1.5	0	0.0	0.0	54.9	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	1.5	0	0.0	0.0	54.9	0
<b>Other Digestive Organs</b>	0.0	0.0	1.5	0	0.0	0.0	54.9	0
<b>Respiratory System</b>	61.7	51.0	73.7	139	94.7	27.7	217.8	6
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	1.5	0	0.0	0.0	54.9	0
<b>Larynx</b>	0.0	0.0	1.5	0	0.0	0.0	54.9	0
<b>Lung and Bronchus</b>	61.4	50.8	73.4	138	94.7	27.7	217.8	6
<b>Pleura</b>	0.0	0.0	1.5	0	0.0	0.0	54.9	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	^	^	^	^	0.0	0.0	54.9	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	54.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1996

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	239.1	193.5	291.2	109	189.9	102.2	312.2	20
<b>Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	31.5	0
<b>Lip</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	31.5	0
<b>Salivary Gland</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Floor of Mouth</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Gum and Other Mouth</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	31.5	0
<b>Tonsil</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Oropharynx</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Hypopharynx</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Other Oral Cavity and Pharynx</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Digestive System</b>	56.4	35.8	83.4	27	71.4	31.2	137.6	9
<b>Esophagus</b>	0.0	0.0	6.6	0	^	^	^	^
<b>Stomach</b>	21.2	10.5	37.7	12	^	^	^	^
<b>Small Intestine</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Colon and Rectum</b>	24.8	10.9	46.3	9	0.0	0.0	31.5	0
<b>Colon excluding Rectum</b>	23.3	9.7	44.6	8	0.0	0.0	31.5	0
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	0.0	0.0	31.5	0
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Liver and Intrahepatic Bile Duct</b>	^	^	^	^	^	^	^	^
<b>Liver</b>	^	^	^	^	^	^	^	^
<b>Intrahepatic Bile Duct</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Gallbladder</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Other Biliary</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Pancreas</b>	^	^	^	^	^	^	^	^
<b>Retroperitoneum</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Other Digestive Organs</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Respiratory System</b>	88.1	60.9	121.9	38	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Larynx</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Lung and Bronchus</b>	88.1	60.9	121.9	38	^	^	^	^
<b>Pleura</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0
<b>Bones and Joints</b>	0.0	0.0	6.6	0	0.0	0.0	31.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1996

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	1.6	0.6	3.6	7	^	^	^	^
Skin excluding Basal and Squamous	5.0	2.5	8.8	15	0.0	0.0	54.9	0
Melanoma of the Skin	4.4	2.0	8.1	13	0.0	0.0	54.9	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	54.9	0
Urinary System	12.7	7.7	19.4	24	0.0	0.0	54.9	0
Urinary Bladder	6.7	3.1	12.1	11	0.0	0.0	54.9	0
Kidney and Renal Pelvis	5.4	2.5	9.6	12	0.0	0.0	54.9	0
Ureter	^	^	^	^	0.0	0.0	54.9	0
Other Urinary Organs	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Eye and Orbit	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Brain and Other Nervous System	5.9	3.2	9.8	21	0.0	0.0	54.9	0
Endocrine System	^	^	^	^	0.0	0.0	54.9	0
Thyroid	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	54.9	0
Lymphoma	10.2	6.1	15.8	25	0.0	0.0	54.9	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	54.9	0
Non-Hodgkin Lymphoma	9.9	5.8	15.5	24	0.0	0.0	54.9	0
Myeloma	4.8	2.1	9.2	10	^	^	^	^
Leukemia	10.5	6.0	16.5	23	^	^	^	^
Lymphocytic Leukemia	5.4	2.2	10.5	9	0.0	0.0	54.9	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	54.9	0
Chronic Lymphocytic Leukemia	5.0	1.9	10.1	7	0.0	0.0	54.9	0
Other Lymphocytic Leukemia	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Myeloid and Monocytic Leukemia	4.3	1.9	8.1	12	^	^	^	^
Acute Myeloid Leukemia	2.0	0.7	4.5	7	0.0	0.0	54.9	0
Acute Monocytic Leukemia	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	54.9	0
Other Leukemia	^	^	^	^	0.0	0.0	54.9	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	54.9	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	54.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Miscellaneous Malignant Cancer	18.7	12.9	26.0	41	0.0	0.0	54.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.



## Cancer Deaths in Alaska, 1996 to 2006, by Race

1996

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	31.5	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	31.5	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	31.5	0
Other Non-Epithelial Skin	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Urinary System	20.7	8.5	40.2	8	0.0	0.0	31.5	0
Urinary Bladder	^	^	^	^	0.0	0.0	31.5	0
Kidney and Renal Pelvis	17.3	6.5	35.1	7	0.0	0.0	31.5	0
Ureter	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Other Urinary Organs	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Eye and Orbit	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Thyroid	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Other Endocrine including Thymus	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	0.0	0.0	31.5	0
Lymphocytic Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Acute Lymphocytic Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Other Lymphocytic Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	31.5	0
Acute Myeloid Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	31.5	0
Chronic Myeloid Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Other Leukemia	^	^	^	^	0.0	0.0	31.5	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	31.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Miscellaneous Malignant Cancer	25.7	12.6	45.4	12	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1997

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	187.8	168.8	208.1	449	257.5	133.5	434.2	19
<b>Oral Cavity and Pharynx</b>	3.7	1.5	7.1	9	0.0	0.0	51.1	0
<b>Lip</b>	0.0	0.0	1.4	0	0.0	0.0	51.1	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	51.1	0
<b>Salivary Gland</b>	0.0	0.0	1.4	0	0.0	0.0	51.1	0
<b>Floor of Mouth</b>	0.0	0.0	1.4	0	0.0	0.0	51.1	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	51.1	0
<b>Nasopharynx</b>	0.0	0.0	1.4	0	0.0	0.0	51.1	0
<b>Tonsil</b>	0.0	0.0	1.4	0	0.0	0.0	51.1	0
<b>Oropharynx</b>	0.0	0.0	1.4	0	0.0	0.0	51.1	0
<b>Hypopharynx</b>	^	^	^	^	0.0	0.0	51.1	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	51.1	0
<b>Digestive System</b>	35.4	27.4	44.7	84	^	^	^	^
<b>Esophagus</b>	^	^	^	^	0.0	0.0	51.1	0
<b>Stomach</b>	3.7	1.6	7.1	9	^	^	^	^
<b>Small Intestine</b>	0.0	0.0	1.4	0	^	^	^	^
<b>Colon and Rectum</b>	13.3	8.6	19.3	32	^	^	^	^
<b>Colon excluding Rectum</b>	11.3	7.1	16.8	28	0.0	0.0	51.1	0
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	^	^	^	^
<b>Anus, Anal Canal and Anorectum</b>	^	^	^	^	0.0	0.0	51.1	0
<b>Liver and Intrahepatic Bile Duct</b>	4.7	2.0	8.9	10	0.0	0.0	51.1	0
<b>Liver</b>	3.3	1.2	6.9	8	0.0	0.0	51.1	0
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	51.1	0
<b>Gallbladder</b>	0.0	0.0	1.4	0	0.0	0.0	51.1	0
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	51.1	0
<b>Pancreas</b>	10.7	6.5	16.2	26	0.0	0.0	51.1	0
<b>Retroperitoneum</b>	^	^	^	^	0.0	0.0	51.1	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	1.4	0	0.0	0.0	51.1	0
<b>Other Digestive Organs</b>	0.0	0.0	1.4	0	0.0	0.0	51.1	0
<b>Respiratory System</b>	55.5	46.1	66.1	143	104.8	41.6	211.9	8
<b>Nose, Nasal Cavity and Middle Ear</b>	^	^	^	^	0.0	0.0	51.1	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	51.1	0
<b>Lung and Bronchus</b>	52.5	43.5	62.6	138	104.8	41.6	211.9	8
<b>Pleura</b>	0.0	0.0	1.4	0	0.0	0.0	51.1	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	1.4	0	0.0	0.0	51.1	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	51.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1997

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	256.4	211.5	307.3	132	97.4	50.1	167.9	14
<b>Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	27.1	0
<b>Lip</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Tongue</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Salivary Gland</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Floor of Mouth</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	27.1	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	27.1	0
<b>Tonsil</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Oropharynx</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Hypopharynx</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	27.1	0
<b>Digestive System</b>	98.2	70.0	132.8	46	^	^	^	^
<b>Esophagus</b>	^	^	^	^	^	^	^	^
<b>Stomach</b>	12.4	5.2	24.8	8	0.0	0.0	27.1	0
<b>Small Intestine</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Colon and Rectum</b>	38.7	22.2	61.5	19	0.0	0.0	27.1	0
<b>Colon excluding Rectum</b>	29.6	15.3	50.5	14	0.0	0.0	27.1	0
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	0.0	0.0	27.1	0
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Liver and Intrahepatic Bile Duct</b>	^	^	^	^	^	^	^	^
<b>Liver</b>	^	^	^	^	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	27.1	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	27.1	0
<b>Other Biliary</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Pancreas</b>	21.1	9.2	39.8	9	0.0	0.0	27.1	0
<b>Retroperitoneum</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Other Digestive Organs</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Respiratory System</b>	85.2	59.7	116.9	41	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	27.1	0
<b>Lung and Bronchus</b>	82.1	56.9	113.5	39	^	^	^	^
<b>Pleura</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0
<b>Bones and Joints</b>	0.0	0.0	6.4	0	0.0	0.0	27.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1997

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	51.1	0
Skin excluding Basal and Squamous	3.6	1.3	7.5	9	0.0	0.0	51.1	0
Melanoma of the Skin	2.2	0.6	5.2	7	0.0	0.0	51.1	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	51.1	0
Urinary System	9.1	5.0	14.7	18	^	^	^	^
Urinary Bladder	7.0	3.5	12.0	13	0.0	0.0	51.1	0
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Other Urinary Organs	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Eye and Orbit	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Brain and Other Nervous System	4.6	2.3	8.2	14	0.0	0.0	51.1	0
Endocrine System	^	^	^	^	0.0	0.0	51.1	0
Thyroid	^	^	^	^	0.0	0.0	51.1	0
Other Endocrine including Thymus	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Lymphoma	7.4	4.1	12.0	18	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	51.1	0
Non-Hodgkin Lymphoma	6.8	3.6	11.3	16	^	^	^	^
Myeloma	3.6	1.3	7.4	7	0.0	0.0	51.1	0
Leukemia	7.9	4.3	13.1	19	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	51.1	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	51.1	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	51.1	0
Other Lymphocytic Leukemia	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Myeloid and Monocytic Leukemia	3.2	1.4	6.3	9	^	^	^	^
Acute Myeloid Leukemia	2.4	0.8	5.3	6	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	51.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Other Leukemia	2.4	0.6	5.7	6	0.0	0.0	51.1	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	51.1	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	51.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Miscellaneous Malignant Cancer	16.8	11.3	23.8	35	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1997

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	0.0	0.0	6.4	0	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Melanoma of the Skin	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Other Non-Epithelial Skin	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Other Urinary Organs	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Eye and Orbit	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	27.1	0
Endocrine System	0.0	0.0	6.4	0	^	^	^	^
Thyroid	0.0	0.0	6.4	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Lymphoma	^	^	^	^	0.0	0.0	27.1	0
Hodgkin Lymphoma	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	27.1	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	0.0	0.0	27.1	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	27.1	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	27.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Other Lymphocytic Leukemia	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	27.1	0
Acute Myeloid Leukemia	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Acute Monocytic Leukemia	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	27.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Other Leukemia	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Other Acute Leukemia	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Miscellaneous Malignant Cancer	20.2	10.6	35.0	13	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1998

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	191.4	172.7	211.3	473	169.9	82.0	302.3	14
<b>Oral Cavity and Pharynx</b>	2.0	0.8	4.3	8	^	^	^	^
<b>Lip</b>	0.0	0.0	1.3	0	0.0	0.0	48.4	0
<b>Tongue</b>	^	^	^	^	^	^	^	^
<b>Salivary Gland</b>	0.0	0.0	1.3	0	0.0	0.0	48.4	0
<b>Floor of Mouth</b>	0.0	0.0	1.3	0	0.0	0.0	48.4	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	48.4	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	48.4	0
<b>Tonsil</b>	^	^	^	^	0.0	0.0	48.4	0
<b>Oropharynx</b>	^	^	^	^	0.0	0.0	48.4	0
<b>Hypopharynx</b>	0.0	0.0	1.3	0	0.0	0.0	48.4	0
<b>Other Oral Cavity and Pharynx</b>	0.0	0.0	1.3	0	0.0	0.0	48.4	0
<b>Digestive System</b>	38.6	30.4	48.1	94	55.9	19.4	129.2	6
<b>Esophagus</b>	6.3	3.3	10.7	16	^	^	^	^
<b>Stomach</b>	4.5	2.1	8.2	12	0.0	0.0	48.4	0
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	48.4	0
<b>Colon and Rectum</b>	13.0	8.2	19.2	28	^	^	^	^
<b>Colon excluding Rectum</b>	10.7	6.4	16.5	23	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	0.0	0.0	48.4	0
<b>Anus, Anal Canal and Anorectum</b>	^	^	^	^	0.0	0.0	48.4	0
<b>Liver and Intrahepatic Bile Duct</b>	6.5	3.4	10.9	15	0.0	0.0	48.4	0
<b>Liver</b>	5.9	3.0	10.2	14	0.0	0.0	48.4	0
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	48.4	0
<b>Gallbladder</b>	0.0	0.0	1.3	0	^	^	^	^
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	48.4	0
<b>Pancreas</b>	6.7	3.8	10.9	18	0.0	0.0	48.4	0
<b>Retroperitoneum</b>	0.0	0.0	1.3	0	0.0	0.0	48.4	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	1.3	0	0.0	0.0	48.4	0
<b>Other Digestive Organs</b>	0.0	0.0	1.3	0	0.0	0.0	48.4	0
<b>Respiratory System</b>	62.6	52.5	73.9	158	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	^	^	^	^	0.0	0.0	48.4	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	48.4	0
<b>Lung and Bronchus</b>	60.3	50.4	71.4	153	^	^	^	^
<b>Pleura</b>	0.0	0.0	1.3	0	0.0	0.0	48.4	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	1.3	0	0.0	0.0	48.4	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	48.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1998

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	289.4	241.7	342.9	148	55.3	27.1	102.3	12
<b>Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	26.3	0
<b>Lip</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Tongue</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Salivary Gland</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Floor of Mouth</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Gum and Other Mouth</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	26.3	0
<b>Tonsil</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Oropharynx</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Hypopharynx</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	26.3	0
<b>Digestive System</b>	120.7	91.1	156.0	64	^	^	^	^
<b>Esophagus</b>	16.6	6.8	32.7	8	0.0	0.0	26.3	0
<b>Stomach</b>	29.2	16.8	47.0	19	^	^	^	^
<b>Small Intestine</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Colon and Rectum</b>	41.4	23.9	65.2	19	^	^	^	^
<b>Colon excluding Rectum</b>	34.2	18.2	56.8	15	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	0.0	0.0	26.3	0
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Liver and Intrahepatic Bile Duct</b>	^	^	^	^	^	^	^	^
<b>Liver</b>	^	^	^	^	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	26.3	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	26.3	0
<b>Other Biliary</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Pancreas</b>	21.5	10.8	37.7	12	0.0	0.0	26.3	0
<b>Retroperitoneum</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Other Digestive Organs</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Respiratory System</b>	78.4	54.3	108.4	38	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	26.3	0
<b>Lung and Bronchus</b>	73.3	49.9	102.7	35	^	^	^	^
<b>Pleura</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0
<b>Bones and Joints</b>	0.0	0.0	6.2	0	0.0	0.0	26.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1998

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	48.4	0
Skin excluding Basal and Squamous	2.8	1.2	5.5	9	0.0	0.0	48.4	0
Melanoma of the Skin	2.8	1.2	5.5	9	0.0	0.0	48.4	0
Other Non-Epithelial Skin	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Urinary System	10.2	6.2	15.5	24	0.0	0.0	48.4	0
Urinary Bladder	7.2	3.9	11.8	16	0.0	0.0	48.4	0
Kidney and Renal Pelvis	3.0	1.2	6.1	8	0.0	0.0	48.4	0
Ureter	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Other Urinary Organs	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Eye and Orbit	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Brain and Other Nervous System	4.9	2.6	8.3	15	0.0	0.0	48.4	0
Endocrine System	^	^	^	^	0.0	0.0	48.4	0
Thyroid	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	48.4	0
Lymphoma	11.7	7.3	17.5	28	0.0	0.0	48.4	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	48.4	0
Non-Hodgkin Lymphoma	11.3	6.9	17.0	27	0.0	0.0	48.4	0
Myeloma	^	^	^	^	0.0	0.0	48.4	0
Leukemia	8.8	4.9	14.3	19	0.0	0.0	48.4	0
Lymphocytic Leukemia	3.1	0.9	7.0	6	0.0	0.0	48.4	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	48.4	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	48.4	0
Other Lymphocytic Leukemia	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Myeloid and Monocytic Leukemia	4.9	2.1	9.1	11	0.0	0.0	48.4	0
Acute Myeloid Leukemia	3.2	1.2	6.7	8	0.0	0.0	48.4	0
Acute Monocytic Leukemia	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	48.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Other Leukemia	^	^	^	^	0.0	0.0	48.4	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	48.4	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	48.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Miscellaneous Malignant Cancer	11.2	6.9	16.9	25	0.0	0.0	48.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.



## Cancer Deaths in Alaska, 1996 to 2006, by Race

1998

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	26.3	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	26.3	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	26.3	0
Other Non-Epithelial Skin	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Urinary System	^	^	^	^	0.0	0.0	26.3	0
Urinary Bladder	^	^	^	^	0.0	0.0	26.3	0
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	26.3	0
Ureter	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Other Urinary Organs	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Eye and Orbit	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Brain and Other Nervous System	0.0	0.0	6.2	0	^	^	^	^
Endocrine System	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Thyroid	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Other Endocrine including Thymus	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	26.3	0
Leukemia	^	^	^	^	0.0	0.0	26.3	0
Lymphocytic Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Acute Lymphocytic Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Other Lymphocytic Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	26.3	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	26.3	0
Acute Monocytic Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Chronic Myeloid Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Other Leukemia	^	^	^	^	0.0	0.0	26.3	0
Other Acute Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	26.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Miscellaneous Malignant Cancer	13.9	5.1	29.0	7	0.0	0.0	26.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1999

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	188.8	170.4	208.5	474	55.5	19.8	125.0	6
<b>Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	44.1	0
<b>Lip</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	44.1	0
<b>Salivary Gland</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Floor of Mouth</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Gum and Other Mouth</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	44.1	0
<b>Tonsil</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Oropharynx</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Hypopharynx</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Other Oral Cavity and Pharynx</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Digestive System</b>	41.8	33.1	51.7	99	^	^	^	^
<b>Esophagus</b>	3.0	1.2	6.1	8	0.0	0.0	44.1	0
<b>Stomach</b>	2.9	1.2	5.8	8	0.0	0.0	44.1	0
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	44.1	0
<b>Colon and Rectum</b>	18.3	12.5	25.5	40	^	^	^	^
<b>Colon excluding Rectum</b>	13.7	8.7	20.1	30	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	4.6	2.1	8.5	10	0.0	0.0	44.1	0
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Liver and Intrahepatic Bile Duct</b>	3.4	1.3	6.7	9	^	^	^	^
<b>Liver</b>	^	^	^	^	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	44.1	0
<b>Gallbladder</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Other Biliary</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Pancreas</b>	12.7	8.3	18.3	32	^	^	^	^
<b>Retroperitoneum</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Other Digestive Organs</b>	^	^	^	^	0.0	0.0	44.1	0
<b>Respiratory System</b>	60.6	50.5	71.9	150	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	44.1	0
<b>Lung and Bronchus</b>	59.6	49.6	70.8	148	^	^	^	^
<b>Pleura</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	1.3	0	0.0	0.0	44.1	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	44.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1999

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	239.2	195.5	288.8	123	105.3	54.8	178.4	17
<b>Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	23.3	0
<b>Lip</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Tongue</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Salivary Gland</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Floor of Mouth</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Gum and Other Mouth</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	23.3	0
<b>Tonsil</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Oropharynx</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Hypopharynx</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Other Oral Cavity and Pharynx</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Digestive System</b>	92.6	66.4	124.8	48	60.1	20.7	126.8	8
<b>Esophagus</b>	^	^	^	^	0.0	0.0	23.3	0
<b>Stomach</b>	18.3	9.5	31.9	13	^	^	^	^
<b>Small Intestine</b>	0.0	0.0	5.9	0	^	^	^	^
<b>Colon and Rectum</b>	40.6	23.1	64.6	18	^	^	^	^
<b>Colon excluding Rectum</b>	37.4	20.9	60.3	17	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	^	^	^	^
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Liver and Intrahepatic Bile Duct</b>	^	^	^	^	^	^	^	^
<b>Liver</b>	^	^	^	^	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	23.3	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	23.3	0
<b>Other Biliary</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Pancreas</b>	15.3	5.2	32.5	6	^	^	^	^
<b>Retroperitoneum</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Other Digestive Organs</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Respiratory System</b>	51.2	33.2	74.7	28	0.0	0.0	23.3	0
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	23.3	0
<b>Lung and Bronchus</b>	49.7	31.9	73.0	27	0.0	0.0	23.3	0
<b>Pleura</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0
<b>Bones and Joints</b>	0.0	0.0	5.9	0	0.0	0.0	23.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1999

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	44.1	0
Skin excluding Basal and Squamous	3.0	1.2	6.0	9	0.0	0.0	44.1	0
Melanoma of the Skin	2.2	0.7	4.8	7	0.0	0.0	44.1	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	44.1	0
Urinary System	9.6	5.5	15.1	19	0.0	0.0	44.1	0
Urinary Bladder	4.0	1.4	8.3	6	0.0	0.0	44.1	0
Kidney and Renal Pelvis	4.4	2.0	8.0	11	0.0	0.0	44.1	0
Ureter	^	^	^	^	0.0	0.0	44.1	0
Other Urinary Organs	^	^	^	^	0.0	0.0	44.1	0
Eye and Orbit	0.0	0.0	1.3	0	0.0	0.0	44.1	0
Brain and Other Nervous System	4.1	2.2	7.1	14	0.0	0.0	44.1	0
Endocrine System	^	^	^	^	0.0	0.0	44.1	0
Thyroid	^	^	^	^	0.0	0.0	44.1	0
Other Endocrine including Thymus	0.0	0.0	1.3	0	0.0	0.0	44.1	0
Lymphoma	8.4	4.8	13.2	22	0.0	0.0	44.1	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	44.1	0
Non-Hodgkin Lymphoma	7.9	4.4	12.7	20	0.0	0.0	44.1	0
Myeloma	5.3	2.6	9.4	12	0.0	0.0	44.1	0
Leukemia	8.1	4.4	13.2	18	0.0	0.0	44.1	0
Lymphocytic Leukemia	3.3	1.1	7.0	6	0.0	0.0	44.1	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	44.1	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	44.1	0
Other Lymphocytic Leukemia	0.0	0.0	1.3	0	0.0	0.0	44.1	0
Myeloid and Monocytic Leukemia	3.1	1.2	6.3	9	0.0	0.0	44.1	0
Acute Myeloid Leukemia	2.0	0.6	4.8	6	0.0	0.0	44.1	0
Acute Monocytic Leukemia	0.0	0.0	1.3	0	0.0	0.0	44.1	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	44.1	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	44.1	0
Other Leukemia	^	^	^	^	0.0	0.0	44.1	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	44.1	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	44.1	0
Mesothelioma (ICD-10 only)	3.2	1.2	6.7	7	0.0	0.0	44.1	0
Miscellaneous Malignant Cancer	16.2	11.4	22.2	44	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

1999

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	23.3	0
Skin excluding Basal and Squamous	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Melanoma of the Skin	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Other Non-Epithelial Skin	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Urinary System	15.8	6.1	31.9	7	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^
Kidney and Renal Pelvis	13.8	4.8	29.2	6	0.0	0.0	23.3	0
Ureter	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Other Urinary Organs	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Eye and Orbit	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Thyroid	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Other Endocrine including Thymus	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Lymphoma	^	^	^	^	0.0	0.0	23.3	0
Hodgkin Lymphoma	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	23.3	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	0.0	0.0	23.3	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	23.3	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	23.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Other Lymphocytic Leukemia	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	23.3	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	23.3	0
Acute Monocytic Leukemia	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Chronic Myeloid Leukemia	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Other Leukemia	^	^	^	^	0.0	0.0	23.3	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	23.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	23.3	0
Miscellaneous Malignant Cancer	36.1	20.0	58.6	17	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2000

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	206.3	187.5	226.2	531	228.4	132.3	360.5	21
<b>Oral Cavity and Pharynx</b>	4.9	2.6	8.3	16	0.0	0.0	40.0	0
<b>Lip</b>	0.0	0.0	1.2	0	0.0	0.0	40.0	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Salivary Gland</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Floor of Mouth</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Tonsil</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Oropharynx</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Hypopharynx</b>	0.0	0.0	1.2	0	0.0	0.0	40.0	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Digestive System</b>	45.2	36.6	55.1	113	^	^	^	^
<b>Esophagus</b>	6.0	3.4	9.5	19	0.0	0.0	40.0	0
<b>Stomach</b>	2.5	0.8	5.4	6	^	^	^	^
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Colon and Rectum</b>	21.9	15.7	29.4	47	^	^	^	^
<b>Colon excluding Rectum</b>	18.3	12.7	25.3	39	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	3.6	1.5	7.0	8	0.0	0.0	40.0	0
<b>Anus, Anal Canal and Anorectum</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Liver and Intrahepatic Bile Duct</b>	4.7	2.5	8.0	14	0.0	0.0	40.0	0
<b>Liver</b>	3.6	1.7	6.5	11	0.0	0.0	40.0	0
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Pancreas</b>	6.6	3.9	10.5	20	0.0	0.0	40.0	0
<b>Retroperitoneum</b>	0.0	0.0	1.2	0	0.0	0.0	40.0	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	1.2	0	0.0	0.0	40.0	0
<b>Other Digestive Organs</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Respiratory System</b>	61.0	51.3	71.9	161	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	1.2	0	0.0	0.0	40.0	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Lung and Bronchus</b>	59.2	49.7	69.9	157	^	^	^	^
<b>Pleura</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	^	^	^	^	0.0	0.0	40.0	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	40.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2000

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	239.9	197.5	287.9	125	157.1	96.7	237.1	27
<b>Oral Cavity and Pharynx</b>	11.6	4.5	24.0	7	0.0	0.0	19.5	0
<b>Lip</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	19.5	0
<b>Salivary Gland</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Floor of Mouth</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	19.5	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	19.5	0
<b>Tonsil</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Oropharynx</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Hypopharynx</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Other Oral Cavity and Pharynx</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Digestive System</b>	72.0	49.1	100.8	35	48.6	21.2	93.4	9
<b>Esophagus</b>	^	^	^	^	0.0	0.0	19.5	0
<b>Stomach</b>	13.5	5.2	27.6	7	0.0	0.0	19.5	0
<b>Small Intestine</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Colon and Rectum</b>	34.2	18.5	56.1	15	0.0	0.0	19.5	0
<b>Colon excluding Rectum</b>	25.4	12.1	45.1	11	0.0	0.0	19.5	0
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	0.0	0.0	19.5	0
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Liver and Intrahepatic Bile Duct</b>	^	^	^	^	34.8	13.6	72.2	7
<b>Liver</b>	^	^	^	^	30.9	11.1	67.5	6
<b>Intrahepatic Bile Duct</b>	0.0	0.0	5.6	0	^	^	^	^
<b>Gallbladder</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	19.5	0
<b>Pancreas</b>	12.7	5.3	25.1	8	^	^	^	^
<b>Retroperitoneum</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Other Digestive Organs</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Respiratory System</b>	70.5	49.0	97.5	37	46.5	15.1	100.7	7
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Larynx</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Lung and Bronchus</b>	70.5	49.0	97.5	37	46.5	15.1	100.7	7
<b>Pleura</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0
<b>Bones and Joints</b>	0.0	0.0	5.6	0	0.0	0.0	19.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2000

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	40.0	0
Skin excluding Basal and Squamous	2.2	0.9	4.6	7	0.0	0.0	40.0	0
Melanoma of the Skin	2.2	0.9	4.6	7	0.0	0.0	40.0	0
Other Non-Epithelial Skin	0.0	0.0	1.2	0	0.0	0.0	40.0	0
Urinary System	11.1	6.9	16.6	25	0.0	0.0	40.0	0
Urinary Bladder	6.7	3.4	11.5	12	0.0	0.0	40.0	0
Kidney and Renal Pelvis	4.4	2.2	7.7	13	0.0	0.0	40.0	0
Ureter	0.0	0.0	1.2	0	0.0	0.0	40.0	0
Other Urinary Organs	0.0	0.0	1.2	0	0.0	0.0	40.0	0
Eye and Orbit	^	^	^	^	0.0	0.0	40.0	0
Brain and Other Nervous System	2.7	1.2	5.2	10	0.0	0.0	40.0	0
Endocrine System	^	^	^	^	0.0	0.0	40.0	0
Thyroid	^	^	^	^	0.0	0.0	40.0	0
Other Endocrine including Thymus	0.0	0.0	1.2	0	0.0	0.0	40.0	0
Lymphoma	12.5	7.9	18.3	30	0.0	0.0	40.0	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	40.0	0
Non-Hodgkin Lymphoma	12.3	7.8	18.2	29	0.0	0.0	40.0	0
Myeloma	4.2	1.8	7.9	9	^	^	^	^
Leukemia	9.7	5.8	15.0	22	^	^	^	^
Lymphocytic Leukemia	3.2	1.3	6.5	8	0.0	0.0	40.0	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	40.0	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	40.0	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	40.0	0
Myeloid and Monocytic Leukemia	4.4	2.0	8.0	11	^	^	^	^
Acute Myeloid Leukemia	3.9	1.7	7.3	10	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.2	0	0.0	0.0	40.0	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.2	0	0.0	0.0	40.0	0
Other Leukemia	^	^	^	^	0.0	0.0	40.0	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	40.0	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	40.0	0
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	40.0	0
Miscellaneous Malignant Cancer	12.8	8.5	18.3	33	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.



## Cancer Deaths in Alaska, 1996 to 2006, by Race

2000

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Skin excluding Basal and Squamous	0.0	0.0	5.6	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	5.6	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Urinary System	^	^	^	^	0.0	0.0	19.5	0
Urinary Bladder	^	^	^	^	0.0	0.0	19.5	0
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	19.5	0
Ureter	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Other Urinary Organs	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Eye and Orbit	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	^	^	^	^	0.0	0.0	19.5	0
Thyroid	^	^	^	^	0.0	0.0	19.5	0
Other Endocrine including Thymus	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	0.0	0.0	19.5	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	19.5	0
Acute Lymphocytic Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	19.5	0
Other Lymphocytic Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	19.5	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	19.5	0
Acute Monocytic Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Chronic Myeloid Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Other Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Other Acute Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	5.6	0	0.0	0.0	19.5	0
Miscellaneous Malignant Cancer	30.3	16.1	50.4	15	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2001

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	185.8	168.5	204.2	497	217.3	120.8	350.8	20
<b>Oral Cavity and Pharynx</b>	3.2	1.3	6.4	8	^	^	^	^
<b>Lip</b>	0.0	0.0	1.2	0	0.0	0.0	36.5	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	36.5	0
<b>Salivary Gland</b>	^	^	^	^	0.0	0.0	36.5	0
<b>Floor of Mouth</b>	0.0	0.0	1.2	0	0.0	0.0	36.5	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	36.5	0
<b>Nasopharynx</b>	0.0	0.0	1.2	0	0.0	0.0	36.5	0
<b>Tonsil</b>	0.0	0.0	1.2	0	0.0	0.0	36.5	0
<b>Oropharynx</b>	0.0	0.0	1.2	0	^	^	^	^
<b>Hypopharynx</b>	0.0	0.0	1.2	0	0.0	0.0	36.5	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	36.5	0
<b>Digestive System</b>	47.3	38.7	57.1	124	^	^	^	^
<b>Esophagus</b>	3.7	1.7	6.7	11	^	^	^	^
<b>Stomach</b>	6.0	3.0	10.3	13	0.0	0.0	36.5	0
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	36.5	0
<b>Colon and Rectum</b>	19.9	14.4	26.4	52	^	^	^	^
<b>Colon excluding Rectum</b>	16.3	11.4	22.6	39	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	3.5	1.7	6.3	13	^	^	^	^
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	1.2	0	0.0	0.0	36.5	0
<b>Liver and Intrahepatic Bile Duct</b>	4.7	2.4	8.1	14	^	^	^	^
<b>Liver</b>	3.7	1.7	6.8	11	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	36.5	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	36.5	0
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	36.5	0
<b>Pancreas</b>	11.7	7.7	17.0	30	^	^	^	^
<b>Retroperitoneum</b>	0.0	0.0	1.2	0	0.0	0.0	36.5	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	1.2	0	0.0	0.0	36.5	0
<b>Other Digestive Organs</b>	^	^	^	^	0.0	0.0	36.5	0
<b>Respiratory System</b>	53.9	45.0	63.9	149	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	1.2	0	0.0	0.0	36.5	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	36.5	0
<b>Lung and Bronchus</b>	53.7	44.8	63.6	148	^	^	^	^
<b>Pleura</b>	0.0	0.0	1.2	0	0.0	0.0	36.5	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	1.2	0	0.0	0.0	36.5	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	36.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2001

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	249.0	207.4	295.8	141	134.0	76.2	212.6	21
<b>Oral Cavity and Pharynx</b>	11.5	4.0	24.5	6	0.0	0.0	18.2	0
<b>Lip</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	18.2	0
<b>Salivary Gland</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0
<b>Floor of Mouth</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	18.2	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	18.2	0
<b>Tonsil</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0
<b>Oropharynx</b>	^	^	^	^	0.0	0.0	18.2	0
<b>Hypopharynx</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	18.2	0
<b>Digestive System</b>	82.7	60.4	110.1	49	54.4	21.6	107.2	9
<b>Esophagus</b>	^	^	^	^	^	^	^	^
<b>Stomach</b>	^	^	^	^	^	^	^	^
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	18.2	0
<b>Colon and Rectum</b>	36.0	21.4	55.9	20	^	^	^	^
<b>Colon excluding Rectum</b>	25.9	13.7	43.5	14	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	10.1	3.5	22.0	6	^	^	^	^
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0
<b>Liver and Intrahepatic Bile Duct</b>	13.9	5.7	27.4	8	^	^	^	^
<b>Liver</b>	9.7	3.2	21.4	6	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	18.2	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	18.2	0
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	18.2	0
<b>Pancreas</b>	12.6	5.7	24.1	9	0.0	0.0	18.2	0
<b>Retroperitoneum</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0
<b>Other Digestive Organs</b>	^	^	^	^	0.0	0.0	18.2	0
<b>Respiratory System</b>	68.4	47.3	94.9	37	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0
<b>Larynx</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0
<b>Lung and Bronchus</b>	68.4	47.3	94.9	37	^	^	^	^
<b>Pleura</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0
<b>Bones and Joints</b>	0.0	0.0	5.3	0	0.0	0.0	18.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2001

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	1.2	0.4	2.9	6	0.0	0.0	36.5	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	36.5	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	36.5	0
Urinary System	7.7	4.3	12.3	17	^	^	^	^
Urinary Bladder	5.9	3.0	10.1	12	0.0	0.0	36.5	0
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	1.2	0	0.0	0.0	36.5	0
Other Urinary Organs	0.0	0.0	1.2	0	0.0	0.0	36.5	0
Eye and Orbit	0.0	0.0	1.2	0	0.0	0.0	36.5	0
Brain and Other Nervous System	5.3	3.0	8.7	19	^	^	^	^
Endocrine System	0.0	0.0	1.2	0	^	^	^	^
Thyroid	0.0	0.0	1.2	0	0.0	0.0	36.5	0
Other Endocrine including Thymus	0.0	0.0	1.2	0	^	^	^	^
Lymphoma	7.3	4.2	11.5	20	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	36.5	0
Non-Hodgkin Lymphoma	6.7	3.7	10.8	18	^	^	^	^
Myeloma	5.8	3.0	9.8	14	0.0	0.0	36.5	0
Leukemia	6.5	3.5	10.7	16	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	36.5	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	36.5	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	36.5	0
Other Lymphocytic Leukemia	0.0	0.0	1.2	0	0.0	0.0	36.5	0
Myeloid and Monocytic Leukemia	2.8	1.0	5.7	7	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.2	0	0.0	0.0	36.5	0
Chronic Myeloid Leukemia	0.0	0.0	1.2	0	0.0	0.0	36.5	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	36.5	0
Other Leukemia	^	^	^	^	0.0	0.0	36.5	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	36.5	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	36.5	0
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	36.5	0
Miscellaneous Malignant Cancer	12.1	8.0	17.5	30	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2001

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Skin excluding Basal and Squamous	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Melanoma of the Skin	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Other Non-Epithelial Skin	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Urinary System	13.2	4.8	27.5	7	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	18.2	0
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Other Urinary Organs	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Eye and Orbit	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Brain and Other Nervous System	0.0	0.0	5.3	0	^	^	^	^
Endocrine System	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Thyroid	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Other Endocrine including Thymus	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Lymphoma	^	^	^	^	0.0	0.0	18.2	0
Hodgkin Lymphoma	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	18.2	0
Myeloma	^	^	^	^	0.0	0.0	18.2	0
Leukemia	^	^	^	^	0.0	0.0	18.2	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	18.2	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	18.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Other Lymphocytic Leukemia	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	18.2	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	18.2	0
Acute Monocytic Leukemia	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Chronic Myeloid Leukemia	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Other Leukemia	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Other Acute Leukemia	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	5.3	0	0.0	0.0	18.2	0
Miscellaneous Malignant Cancer	35.2	20.3	55.7	19	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2002

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	182.8	166.0	200.7	522	238.4	139.5	372.0	22
<b>Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	34.0	0
<b>Lip</b>	^	^	^	^	0.0	0.0	34.0	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	34.0	0
<b>Salivary Gland</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Floor of Mouth</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Gum and Other Mouth</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Nasopharynx</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Tonsil</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Oropharynx</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Hypopharynx</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	34.0	0
<b>Digestive System</b>	37.1	29.9	45.3	111	^	^	^	^
<b>Esophagus</b>	4.6	2.3	8.1	12	^	^	^	^
<b>Stomach</b>	3.5	1.6	6.4	10	^	^	^	^
<b>Small Intestine</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Colon and Rectum</b>	13.2	9.0	18.6	38	^	^	^	^
<b>Colon excluding Rectum</b>	10.3	6.5	15.2	27	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	3.0	1.4	5.5	11	0.0	0.0	34.0	0
<b>Anus, Anal Canal and Anorectum</b>	^	^	^	^	0.0	0.0	34.0	0
<b>Liver and Intrahepatic Bile Duct</b>	3.4	1.6	6.0	12	0.0	0.0	34.0	0
<b>Liver</b>	2.2	0.9	4.6	8	0.0	0.0	34.0	0
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	34.0	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	34.0	0
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	34.0	0
<b>Pancreas</b>	10.2	6.7	14.8	32	^	^	^	^
<b>Retroperitoneum</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Other Digestive Organs</b>	^	^	^	^	0.0	0.0	34.0	0
<b>Respiratory System</b>	51.5	43.0	61.1	150	73.2	32.7	140.6	10
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	34.0	0
<b>Lung and Bronchus</b>	50.2	41.8	59.7	147	73.2	32.7	140.6	10
<b>Pleura</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	1.1	0	0.0	0.0	34.0	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	34.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2002

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	246.3	205.5	292.0	143	124.7	74.6	192.0	24
<b>Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	16.7	0
<b>Lip</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Tongue</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Salivary Gland</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Floor of Mouth</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Gum and Other Mouth</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	16.7	0
<b>Tonsil</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Oropharynx</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Hypopharynx</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	16.7	0
<b>Digestive System</b>	107.7	80.6	140.1	59	39.0	16.7	76.1	9
<b>Esophagus</b>	^	^	^	^	0.0	0.0	16.7	0
<b>Stomach</b>	20.1	9.6	36.1	11	^	^	^	^
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	16.7	0
<b>Colon and Rectum</b>	46.2	29.5	68.1	26	^	^	^	^
<b>Colon excluding Rectum</b>	36.7	22.2	56.3	21	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	0.0	0.0	16.7	0
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Liver and Intrahepatic Bile Duct</b>	^	^	^	^	^	^	^	^
<b>Liver</b>	^	^	^	^	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	16.7	0
<b>Gallbladder</b>	0.0	0.0	5.2	0	^	^	^	^
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	16.7	0
<b>Pancreas</b>	13.8	5.9	26.5	9	0.0	0.0	16.7	0
<b>Retroperitoneum</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Other Digestive Organs</b>	^	^	^	^	0.0	0.0	16.7	0
<b>Respiratory System</b>	60.0	41.2	83.7	35	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Larynx</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Lung and Bronchus</b>	60.0	41.2	83.7	35	^	^	^	^
<b>Pleura</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0
<b>Bones and Joints</b>	0.0	0.0	5.2	0	0.0	0.0	16.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2002

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	34.0	0
Skin excluding Basal and Squamous	4.4	2.2	7.6	16	0.0	0.0	34.0	0
Melanoma of the Skin	2.9	1.3	5.5	12	0.0	0.0	34.0	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	34.0	0
Urinary System	8.0	4.7	12.4	20	0.0	0.0	34.0	0
Urinary Bladder	3.8	1.6	7.3	8	0.0	0.0	34.0	0
Kidney and Renal Pelvis	3.1	1.3	5.9	9	0.0	0.0	34.0	0
Ureter	0.0	0.0	1.1	0	0.0	0.0	34.0	0
Other Urinary Organs	^	^	^	^	0.0	0.0	34.0	0
Eye and Orbit	^	^	^	^	0.0	0.0	34.0	0
Brain and Other Nervous System	4.9	2.9	8.0	19	0.0	0.0	34.0	0
Endocrine System	^	^	^	^	0.0	0.0	34.0	0
Thyroid	0.0	0.0	1.1	0	0.0	0.0	34.0	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	34.0	0
Lymphoma	10.0	6.4	14.7	27	0.0	0.0	34.0	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	34.0	0
Non-Hodgkin Lymphoma	8.8	5.5	13.3	24	0.0	0.0	34.0	0
Myeloma	2.8	1.1	5.5	9	^	^	^	^
Leukemia	6.9	3.8	11.2	18	^	^	^	^
Lymphocytic Leukemia	3.0	1.2	6.1	8	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	34.0	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	34.0	0
Myeloid and Monocytic Leukemia	1.9	0.6	4.5	6	0.0	0.0	34.0	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	34.0	0
Acute Monocytic Leukemia	0.0	0.0	1.1	0	0.0	0.0	34.0	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	34.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.1	0	0.0	0.0	34.0	0
Other Leukemia	^	^	^	^	0.0	0.0	34.0	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	34.0	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	34.0	0
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	34.0	0
Miscellaneous Malignant Cancer	13.2	9.0	18.6	37	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.



## Cancer Deaths in Alaska, 1996 to 2006, by Race

2002

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	16.7	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	16.7	0
Melanoma of the Skin	0.0	0.0	5.2	0	0.0	0.0	16.7	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	16.7	0
Urinary System	11.0	4.4	22.3	7	0.0	0.0	16.7	0
Urinary Bladder	^	^	^	^	0.0	0.0	16.7	0
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	16.7	0
Ureter	0.0	0.0	5.2	0	0.0	0.0	16.7	0
Other Urinary Organs	0.0	0.0	5.2	0	0.0	0.0	16.7	0
Eye and Orbit	0.0	0.0	5.2	0	0.0	0.0	16.7	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	16.7	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	0.0	0.0	5.2	0	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	16.7	0
Lymphoma	^	^	^	^	0.0	0.0	16.7	0
Hodgkin Lymphoma	0.0	0.0	5.2	0	0.0	0.0	16.7	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	16.7	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	16.7	0
Acute Lymphocytic Leukemia	0.0	0.0	5.2	0	0.0	0.0	16.7	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	16.7	0
Other Lymphocytic Leukemia	0.0	0.0	5.2	0	0.0	0.0	16.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	5.2	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	5.2	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.2	0	0.0	0.0	16.7	0
Chronic Myeloid Leukemia	0.0	0.0	5.2	0	0.0	0.0	16.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.2	0	0.0	0.0	16.7	0
Other Leukemia	^	^	^	^	0.0	0.0	16.7	0
Other Acute Leukemia	0.0	0.0	5.2	0	0.0	0.0	16.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	16.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	5.2	0	0.0	0.0	16.7	0
Miscellaneous Malignant Cancer	21.5	10.5	38.0	11	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2003

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	184.3	167.9	201.8	549	180.0	96.8	296.9	15
<b>Oral Cavity and Pharynx</b>	3.8	1.9	6.7	12	0.0	0.0	32.3	0
<b>Lip</b>	0.0	0.0	1.1	0	0.0	0.0	32.3	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	32.3	0
<b>Salivary Gland</b>	^	^	^	^	0.0	0.0	32.3	0
<b>Floor of Mouth</b>	0.0	0.0	1.1	0	0.0	0.0	32.3	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	32.3	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	32.3	0
<b>Tonsil</b>	0.0	0.0	1.1	0	0.0	0.0	32.3	0
<b>Oropharynx</b>	^	^	^	^	0.0	0.0	32.3	0
<b>Hypopharynx</b>	0.0	0.0	1.1	0	0.0	0.0	32.3	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	32.3	0
<b>Digestive System</b>	43.3	35.4	52.3	124	^	^	^	^
<b>Esophagus</b>	4.8	2.5	8.0	16	0.0	0.0	32.3	0
<b>Stomach</b>	2.4	0.9	5.0	7	0.0	0.0	32.3	0
<b>Small Intestine</b>	0.0	0.0	1.1	0	0.0	0.0	32.3	0
<b>Colon and Rectum</b>	17.9	12.9	24.2	47	^	^	^	^
<b>Colon excluding Rectum</b>	14.1	9.6	19.7	37	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	3.9	1.7	7.1	10	0.0	0.0	32.3	0
<b>Anus, Anal Canal and Anorectum</b>	^	^	^	^	0.0	0.0	32.3	0
<b>Liver and Intrahepatic Bile Duct</b>	6.1	3.4	9.9	18	0.0	0.0	32.3	0
<b>Liver</b>	4.1	1.9	7.3	12	0.0	0.0	32.3	0
<b>Intrahepatic Bile Duct</b>	2.0	0.7	4.4	6	0.0	0.0	32.3	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	32.3	0
<b>Other Biliary</b>	0.0	0.0	1.1	0	0.0	0.0	32.3	0
<b>Pancreas</b>	9.6	6.1	14.1	28	^	^	^	^
<b>Retroperitoneum</b>	0.0	0.0	1.1	0	0.0	0.0	32.3	0
<b>Peritoneum, Omentum and Mesentery</b>	^	^	^	^	0.0	0.0	32.3	0
<b>Other Digestive Organs</b>	^	^	^	^	0.0	0.0	32.3	0
<b>Respiratory System</b>	56.3	47.5	66.2	166	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	1.1	0	0.0	0.0	32.3	0
<b>Larynx</b>	0.0	0.0	1.1	0	0.0	0.0	32.3	0
<b>Lung and Bronchus</b>	56.3	47.5	66.2	166	^	^	^	^
<b>Pleura</b>	0.0	0.0	1.1	0	0.0	0.0	32.3	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	1.1	0	0.0	0.0	32.3	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	32.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2003

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	235.7	196.5	279.7	141	96.9	57.1	151.5	21
<b>Oral Cavity and Pharynx</b>	12.8	4.9	26.0	7	0.0	0.0	15.3	0
<b>Lip</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Tongue</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Salivary Gland</b>	^	^	^	^	0.0	0.0	15.3	0
<b>Floor of Mouth</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Gum and Other Mouth</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	15.3	0
<b>Tonsil</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Oropharynx</b>	^	^	^	^	0.0	0.0	15.3	0
<b>Hypopharynx</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	15.3	0
<b>Digestive System</b>	77.4	55.8	103.7	48	53.8	24.5	99.0	11
<b>Esophagus</b>	11.4	4.3	23.6	7	0.0	0.0	15.3	0
<b>Stomach</b>	17.4	8.2	31.6	11	^	^	^	^
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	15.3	0
<b>Colon and Rectum</b>	23.3	12.2	39.3	14	^	^	^	^
<b>Colon excluding Rectum</b>	20.0	9.9	35.1	12	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	0.0	0.0	15.3	0
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Liver and Intrahepatic Bile Duct</b>	12.1	4.4	25.1	7	^	^	^	^
<b>Liver</b>	12.1	4.4	25.1	7	^	^	^	^
<b>Intrahepatic Bile Duct</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	15.3	0
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	15.3	0
<b>Pancreas</b>	9.2	3.3	19.9	6	^	^	^	^
<b>Retroperitoneum</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Other Digestive Organs</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Respiratory System</b>	74.0	52.7	100.3	42	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Larynx</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Lung and Bronchus</b>	74.0	52.7	100.3	42	^	^	^	^
<b>Pleura</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0
<b>Bones and Joints</b>	0.0	0.0	5.0	0	0.0	0.0	15.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2003

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	32.3	0
Skin excluding Basal and Squamous	2.1	1.0	4.1	10	0.0	0.0	32.3	0
Melanoma of the Skin	1.7	0.7	3.6	8	0.0	0.0	32.3	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	32.3	0
Urinary System	14.0	9.5	19.6	35	0.0	0.0	32.3	0
Urinary Bladder	7.9	4.6	12.5	19	0.0	0.0	32.3	0
Kidney and Renal Pelvis	5.6	3.0	9.3	15	0.0	0.0	32.3	0
Ureter	^	^	^	^	0.0	0.0	32.3	0
Other Urinary Organs	0.0	0.0	1.1	0	0.0	0.0	32.3	0
Eye and Orbit	^	^	^	^	0.0	0.0	32.3	0
Brain and Other Nervous System	5.2	2.9	8.5	17	^	^	^	^
Endocrine System	^	^	^	^	0.0	0.0	32.3	0
Thyroid	^	^	^	^	0.0	0.0	32.3	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	32.3	0
Lymphoma	8.2	5.2	12.2	28	0.0	0.0	32.3	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	32.3	0
Non-Hodgkin Lymphoma	7.1	4.4	10.9	24	0.0	0.0	32.3	0
Myeloma	2.7	1.2	5.3	9	^	^	^	^
Leukemia	6.5	3.7	10.6	18	0.0	0.0	32.3	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	32.3	0
Acute Lymphocytic Leukemia	0.0	0.0	1.1	0	0.0	0.0	32.3	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	32.3	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	32.3	0
Myeloid and Monocytic Leukemia	2.9	1.4	5.4	11	0.0	0.0	32.3	0
Acute Myeloid Leukemia	1.6	0.6	3.5	7	0.0	0.0	32.3	0
Acute Monocytic Leukemia	0.0	0.0	1.1	0	0.0	0.0	32.3	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	32.3	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	32.3	0
Other Leukemia	^	^	^	^	0.0	0.0	32.3	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	32.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	32.3	0
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	32.3	0
Miscellaneous Malignant Cancer	13.6	9.4	18.8	42	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2003

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Skin excluding Basal and Squamous	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Melanoma of the Skin	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Other Non-Epithelial Skin	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Urinary System	14.3	5.2	29.4	6	0.0	0.0	15.3	0
Urinary Bladder	^	^	^	^	0.0	0.0	15.3	0
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	15.3	0
Ureter	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Other Urinary Organs	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Eye and Orbit	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	15.3	0
Endocrine System	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Thyroid	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Other Endocrine including Thymus	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Lymphoma	^	^	^	^	0.0	0.0	15.3	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	15.3	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	15.3	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Acute Lymphocytic Leukemia	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Other Lymphocytic Leukemia	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Chronic Myeloid Leukemia	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Other Leukemia	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Other Acute Leukemia	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	5.0	0	0.0	0.0	15.3	0
Miscellaneous Malignant Cancer	23.3	12.5	39.0	15	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2004

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	174.7	159.0	191.5	530	182.8	96.6	303.5	16
<b>Oral Cavity and Pharynx</b>	2.6	1.1	5.0	9	0.0	0.0	29.7	0
<b>Lip</b>	0.0	0.0	1.0	0	0.0	0.0	29.7	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Salivary Gland</b>	0.0	0.0	1.0	0	0.0	0.0	29.7	0
<b>Floor of Mouth</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Tonsil</b>	0.0	0.0	1.0	0	0.0	0.0	29.7	0
<b>Oropharynx</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Hypopharynx</b>	0.0	0.0	1.0	0	0.0	0.0	29.7	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Digestive System</b>	37.3	30.3	45.3	114	^	^	^	^
<b>Esophagus</b>	2.8	1.3	5.1	11	0.0	0.0	29.7	0
<b>Stomach</b>	3.1	1.3	6.0	9	0.0	0.0	29.7	0
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Colon and Rectum</b>	14.2	10.0	19.5	41	0.0	0.0	29.7	0
<b>Colon excluding Rectum</b>	12.8	8.7	17.9	35	0.0	0.0	29.7	0
<b>Rectum and Rectosigmoid Junction</b>	1.4	0.5	3.3	6	0.0	0.0	29.7	0
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	1.0	0	0.0	0.0	29.7	0
<b>Liver and Intrahepatic Bile Duct</b>	6.2	3.6	9.8	20	^	^	^	^
<b>Liver</b>	4.1	2.0	7.2	13	^	^	^	^
<b>Intrahepatic Bile Duct</b>	2.1	0.8	4.5	7	0.0	0.0	29.7	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Other Biliary</b>	0.0	0.0	1.0	0	0.0	0.0	29.7	0
<b>Pancreas</b>	9.5	6.1	13.9	29	0.0	0.0	29.7	0
<b>Retroperitoneum</b>	0.0	0.0	1.0	0	0.0	0.0	29.7	0
<b>Peritoneum, Omentum and Mesentery</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Other Digestive Organs</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Respiratory System</b>	57.0	48.3	66.6	174	71.9	23.7	154.6	6
<b>Nose, Nasal Cavity and Middle Ear</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Lung and Bronchus</b>	56.0	47.4	65.6	171	71.9	23.7	154.6	6
<b>Pleura</b>	^	^	^	^	0.0	0.0	29.7	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	1.0	0	0.0	0.0	29.7	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	29.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2004

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	254.9	214.5	300.1	153	97.4	56.7	152.8	21
<b>Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	14.0	0
<b>Lip</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Tongue</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Salivary Gland</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Floor of Mouth</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	14.0	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	14.0	0
<b>Tonsil</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Oropharynx</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Hypopharynx</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	14.0	0
<b>Digestive System</b>	103.2	77.2	134.3	57	22.4	8.3	48.5	7
<b>Esophagus</b>	14.5	6.0	28.4	8	0.0	0.0	14.0	0
<b>Stomach</b>	13.0	5.3	25.5	8	0.0	0.0	14.0	0
<b>Small Intestine</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Colon and Rectum</b>	33.2	18.6	53.2	16	^	^	^	^
<b>Colon excluding Rectum</b>	27.9	14.6	46.7	13	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	0.0	0.0	14.0	0
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Liver and Intrahepatic Bile Duct</b>	14.9	6.6	28.1	9	^	^	^	^
<b>Liver</b>	9.9	3.5	21.1	6	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	14.0	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	14.0	0
<b>Other Biliary</b>	^	^	^	^	^	^	^	^
<b>Pancreas</b>	20.1	10.1	34.8	12	0.0	0.0	14.0	0
<b>Retroperitoneum</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Peritoneum, Omentum and Mesentery</b>	^	^	^	^	0.0	0.0	14.0	0
<b>Other Digestive Organs</b>	^	^	^	^	0.0	0.0	14.0	0
<b>Respiratory System</b>	74.7	54.1	99.8	46	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Larynx</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Lung and Bronchus</b>	74.7	54.1	99.8	46	^	^	^	^
<b>Pleura</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0
<b>Bones and Joints</b>	0.0	0.0	4.8	0	0.0	0.0	14.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2004

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	1.5	0.5	3.4	6	0.0	0.0	29.7	0
Skin excluding Basal and Squamous	3.1	1.3	5.8	10	0.0	0.0	29.7	0
Melanoma of the Skin	3.1	1.3	5.8	10	0.0	0.0	29.7	0
Other Non-Epithelial Skin	0.0	0.0	1.0	0	0.0	0.0	29.7	0
Urinary System	9.3	5.9	13.9	25	0.0	0.0	29.7	0
Urinary Bladder	6.5	3.6	10.5	15	0.0	0.0	29.7	0
Kidney and Renal Pelvis	2.9	1.3	5.5	10	0.0	0.0	29.7	0
Ureter	0.0	0.0	1.0	0	0.0	0.0	29.7	0
Other Urinary Organs	0.0	0.0	1.0	0	0.0	0.0	29.7	0
Eye and Orbit	0.0	0.0	1.0	0	0.0	0.0	29.7	0
Brain and Other Nervous System	5.8	3.6	8.8	24	0.0	0.0	29.7	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	0.0	0.0	29.7	0
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	5.1	2.7	8.5	15	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	29.7	0
Non-Hodgkin Lymphoma	4.7	2.4	8.0	14	^	^	^	^
Myeloma	4.0	1.9	7.2	11	0.0	0.0	29.7	0
Leukemia	5.1	2.8	8.5	16	^	^	^	^
Lymphocytic Leukemia	3.8	1.7	7.0	9	0.0	0.0	29.7	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	29.7	0
Chronic Lymphocytic Leukemia	3.1	1.2	6.2	7	0.0	0.0	29.7	0
Other Lymphocytic Leukemia	0.0	0.0	1.0	0	0.0	0.0	29.7	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.0	0	0.0	0.0	29.7	0
Chronic Myeloid Leukemia	0.0	0.0	1.0	0	0.0	0.0	29.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.0	0	0.0	0.0	29.7	0
Other Leukemia	^	^	^	^	0.0	0.0	29.7	0
Other Acute Leukemia	0.0	0.0	1.0	0	0.0	0.0	29.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	29.7	0
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	29.7	0
Miscellaneous Malignant Cancer	14.7	10.3	20.1	43	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.



## Cancer Deaths in Alaska, 1996 to 2006, by Race

2004

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Skin excluding Basal and Squamous	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Melanoma of the Skin	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Other Non-Epithelial Skin	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Urinary System	8.7	3.0	18.9	6	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	14.0	0
Ureter	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Other Urinary Organs	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Eye and Orbit	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Brain and Other Nervous System	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Endocrine System	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Thyroid	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Other Endocrine including Thymus	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Lymphoma	^	^	^	^	0.0	0.0	14.0	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	14.0	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	14.0	0
Myeloma	^	^	^	^	0.0	0.0	14.0	0
Leukemia	^	^	^	^	0.0	0.0	14.0	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	14.0	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	14.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Other Lymphocytic Leukemia	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	14.0	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	14.0	0
Acute Monocytic Leukemia	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Chronic Myeloid Leukemia	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Other Leukemia	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Other Acute Leukemia	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	4.8	0	0.0	0.0	14.0	0
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	14.0	0
Miscellaneous Malignant Cancer	28.6	16.0	46.2	16	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2005

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	165.0	150.1	180.9	528	199.0	119.3	305.9	26
<b>Oral Cavity and Pharynx</b>	2.0	0.8	4.3	7	0.0	0.0	28.1	0
<b>Lip</b>	0.0	0.0	1.0	0	0.0	0.0	28.1	0
<b>Tongue</b>	0.0	0.0	1.0	0	0.0	0.0	28.1	0
<b>Salivary Gland</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Floor of Mouth</b>	0.0	0.0	1.0	0	0.0	0.0	28.1	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Nasopharynx</b>	0.0	0.0	1.0	0	0.0	0.0	28.1	0
<b>Tonsil</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Oropharynx</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Hypopharynx</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Digestive System</b>	36.3	29.3	44.2	112	100.5	44.0	187.6	10
<b>Esophagus</b>	4.6	2.6	7.5	19	0.0	0.0	28.1	0
<b>Stomach</b>	2.3	1.0	4.6	9	^	^	^	^
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Colon and Rectum</b>	12.2	8.2	17.3	33	83.7	32.4	166.6	8
<b>Colon excluding Rectum</b>	9.0	5.6	13.4	25	65.9	20.6	144.6	6
<b>Rectum and Rectosigmoid Junction</b>	3.2	1.4	6.2	8	^	^	^	^
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	1.0	0	0.0	0.0	28.1	0
<b>Liver and Intrahepatic Bile Duct</b>	4.1	2.1	7.1	14	^	^	^	^
<b>Liver</b>	3.5	1.6	6.4	11	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Pancreas</b>	9.8	6.3	14.3	28	0.0	0.0	28.1	0
<b>Retroperitoneum</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Peritoneum, Omentum and Mesentery</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Other Digestive Organs</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Respiratory System</b>	47.8	40.0	56.5	152	47.8	16.9	103.6	8
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	1.0	0	0.0	0.0	28.1	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	28.1	0
<b>Lung and Bronchus</b>	47.3	39.6	56.0	151	47.8	16.9	103.6	8
<b>Pleura</b>	0.0	0.0	1.0	0	0.0	0.0	28.1	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	1.0	0	0.0	0.0	28.1	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	28.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2005

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	198.6	165.0	236.5	134	133.8	89.5	190.5	33
<b>Oral Cavity and Pharynx</b>	^	^	^	^	^	^	^	^
<b>Lip</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Tongue</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Salivary Gland</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Floor of Mouth</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Gum and Other Mouth</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Nasopharynx</b>	^	^	^	^	^	^	^	^
<b>Tonsil</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Oropharynx</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Hypopharynx</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	13.0	0
<b>Digestive System</b>	58.6	41.1	80.4	40	28.3	10.7	58.5	7
<b>Esophagus</b>	^	^	^	^	0.0	0.0	13.0	0
<b>Stomach</b>	8.3	2.9	18.2	6	^	^	^	^
<b>Small Intestine</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Colon and Rectum</b>	21.4	11.9	35.2	16	^	^	^	^
<b>Colon excluding Rectum</b>	16.9	8.4	29.8	12	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	^	^	^	^
<b>Anus, Anal Canal and Anorectum</b>	^	^	^	^	0.0	0.0	13.0	0
<b>Liver and Intrahepatic Bile Duct</b>	11.3	4.3	23.1	7	^	^	^	^
<b>Liver</b>	^	^	^	^	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	13.0	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	13.0	0
<b>Other Biliary</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Pancreas</b>	10.5	3.7	22.3	6	0.0	0.0	13.0	0
<b>Retroperitoneum</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Other Digestive Organs</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Respiratory System</b>	62.3	44.1	85.0	41	55.3	27.0	97.5	12
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	13.0	0
<b>Lung and Bronchus</b>	60.7	42.8	83.1	40	55.3	27.0	97.5	12
<b>Pleura</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0
<b>Bones and Joints</b>	0.0	0.0	4.6	0	0.0	0.0	13.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2005

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	28.1	0
Skin excluding Basal and Squamous	2.9	1.4	5.3	12	0.0	0.0	28.1	0
Melanoma of the Skin	2.1	0.9	4.2	9	0.0	0.0	28.1	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	28.1	0
Urinary System	7.5	4.7	11.3	26	^	^	^	^
Urinary Bladder	3.2	1.4	6.1	10	0.0	0.0	28.1	0
Kidney and Renal Pelvis	4.2	2.3	7.1	16	^	^	^	^
Ureter	0.0	0.0	1.0	0	0.0	0.0	28.1	0
Other Urinary Organs	0.0	0.0	1.0	0	0.0	0.0	28.1	0
Eye and Orbit	0.0	0.0	1.0	0	0.0	0.0	28.1	0
Brain and Other Nervous System	3.4	1.8	5.8	15	0.0	0.0	28.1	0
Endocrine System	^	^	^	^	0.0	0.0	28.1	0
Thyroid	^	^	^	^	0.0	0.0	28.1	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	28.1	0
Lymphoma	8.9	5.7	13.1	28	0.0	0.0	28.1	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	28.1	0
Non-Hodgkin Lymphoma	8.7	5.5	12.9	27	0.0	0.0	28.1	0
Myeloma	3.5	1.6	6.5	10	0.0	0.0	28.1	0
Leukemia	7.9	4.9	12.0	24	^	^	^	^
Lymphocytic Leukemia	3.4	1.5	6.4	10	0.0	0.0	28.1	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	28.1	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	28.1	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	28.1	0
Myeloid and Monocytic Leukemia	2.8	1.2	5.4	9	^	^	^	^
Acute Myeloid Leukemia	2.8	1.2	5.4	9	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.0	0	0.0	0.0	28.1	0
Chronic Myeloid Leukemia	0.0	0.0	1.0	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.0	0	0.0	0.0	28.1	0
Other Leukemia	^	^	^	^	0.0	0.0	28.1	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	28.1	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	28.1	0
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	28.1	0
Miscellaneous Malignant Cancer	16.6	12.1	22.2	51	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2005

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	13.0	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	13.0	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	13.0	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	13.0	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	4.6	0	0.0	0.0	13.0	0
Ureter	0.0	0.0	4.6	0	0.0	0.0	13.0	0
Other Urinary Organs	0.0	0.0	4.6	0	0.0	0.0	13.0	0
Eye and Orbit	^	^	^	^	0.0	0.0	13.0	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	0.0	0.0	4.6	0	0.0	0.0	13.0	0
Thyroid	0.0	0.0	4.6	0	0.0	0.0	13.0	0
Other Endocrine including Thymus	0.0	0.0	4.6	0	0.0	0.0	13.0	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	4.6	0	0.0	0.0	13.0	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	13.0	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	4.6	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	4.6	0	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	4.6	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	4.6	0	0.0	0.0	13.0	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	13.0	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	13.0	0
Acute Monocytic Leukemia	0.0	0.0	4.6	0	0.0	0.0	13.0	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	13.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.6	0	0.0	0.0	13.0	0
Other Leukemia	^	^	^	^	0.0	0.0	13.0	0
Other Acute Leukemia	0.0	0.0	4.6	0	0.0	0.0	13.0	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	13.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	4.6	0	0.0	0.0	13.0	0
Miscellaneous Malignant Cancer	19.9	10.3	34.1	13	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2006

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	172.4	157.5	188.2	581	116.2	54.1	208.7	12
<b>Oral Cavity and Pharynx</b>	1.7	0.6	3.7	7	0.0	0.0	27.2	0
<b>Lip</b>	0.0	0.0	1.0	0	0.0	0.0	27.2	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Salivary Gland</b>	0.0	0.0	1.0	0	0.0	0.0	27.2	0
<b>Floor of Mouth</b>	0.0	0.0	1.0	0	0.0	0.0	27.2	0
<b>Gum and Other Mouth</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Nasopharynx</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Tonsil</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Oropharynx</b>	0.0	0.0	1.0	0	0.0	0.0	27.2	0
<b>Hypopharynx</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Other Oral Cavity and Pharynx</b>	0.0	0.0	1.0	0	0.0	0.0	27.2	0
<b>Digestive System</b>	40.5	33.4	48.4	137	^	^	^	^
<b>Esophagus</b>	5.4	3.2	8.4	22	0.0	0.0	27.2	0
<b>Stomach</b>	2.9	1.3	5.5	10	^	^	^	^
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Colon and Rectum</b>	14.6	10.4	19.8	44	0.0	0.0	27.2	0
<b>Colon excluding Rectum</b>	13.9	9.7	19.0	40	0.0	0.0	27.2	0
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Anus, Anal Canal and Anorectum</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Liver and Intrahepatic Bile Duct</b>	5.0	2.8	8.0	19	^	^	^	^
<b>Liver</b>	4.0	2.1	6.9	14	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Pancreas</b>	10.7	7.2	15.1	35	0.0	0.0	27.2	0
<b>Retroperitoneum</b>	0.0	0.0	1.0	0	0.0	0.0	27.2	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	1.0	0	0.0	0.0	27.2	0
<b>Other Digestive Organs</b>	^	^	^	^	^	^	^	^
<b>Respiratory System</b>	46.7	39.2	55.1	157	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	27.2	0
<b>Lung and Bronchus</b>	45.5	38.1	53.9	152	^	^	^	^
<b>Pleura</b>	0.0	0.0	1.0	0	0.0	0.0	27.2	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	1.0	0	0.0	0.0	27.2	0
<b>Bones and Joints</b>	0.0	0.0	1.0	0	0.0	0.0	27.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2006

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	228.6	193.1	268.3	159	99.8	63.2	148.4	25
<b>Oral Cavity and Pharynx</b>	^	^	^	^	^	^	^	^
<b>Lip</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Tongue</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Salivary Gland</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Floor of Mouth</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Gum and Other Mouth</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Nasopharynx</b>	^	^	^	^	^	^	^	^
<b>Tonsil</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Oropharynx</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Hypopharynx</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	12.3	0
<b>Digestive System</b>	80.0	59.7	104.4	56	31.3	12.2	63.4	7
<b>Esophagus</b>	8.6	3.0	18.7	6	0.0	0.0	12.3	0
<b>Stomach</b>	12.0	5.8	21.8	11	0.0	0.0	12.3	0
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	12.3	0
<b>Colon and Rectum</b>	31.2	19.0	47.7	21	^	^	^	^
<b>Colon excluding Rectum</b>	25.1	14.3	40.2	17	^	^	^	^
<b>Rectum and Rectosigmoid Junction</b>	^	^	^	^	^	^	^	^
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Liver and Intrahepatic Bile Duct</b>	^	^	^	^	^	^	^	^
<b>Liver</b>	^	^	^	^	^	^	^	^
<b>Intrahepatic Bile Duct</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Gallbladder</b>	^	^	^	^	0.0	0.0	12.3	0
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	12.3	0
<b>Pancreas</b>	16.7	7.8	30.3	10	^	^	^	^
<b>Retroperitoneum</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Other Digestive Organs</b>	^	^	^	^	0.0	0.0	12.3	0
<b>Respiratory System</b>	62.1	44.3	84.1	42	^	^	^	^
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Larynx</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Lung and Bronchus</b>	62.1	44.3	84.1	42	^	^	^	^
<b>Pleura</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0
<b>Bones and Joints</b>	0.0	0.0	4.5	0	0.0	0.0	12.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2006, by Race

2006

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	1.9	0.8	3.8	9	0.0	0.0	27.2	0
Skin excluding Basal and Squamous	2.4	1.2	4.5	11	0.0	0.0	27.2	0
Melanoma of the Skin	1.7	0.7	3.4	8	0.0	0.0	27.2	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	27.2	0
Urinary System	7.5	4.6	11.3	24	^	^	^	^
Urinary Bladder	4.4	2.3	7.4	14	^	^	^	^
Kidney and Renal Pelvis	3.1	1.4	5.8	10	0.0	0.0	27.2	0
Ureter	0.0	0.0	1.0	0	0.0	0.0	27.2	0
Other Urinary Organs	0.0	0.0	1.0	0	0.0	0.0	27.2	0
Eye and Orbit	0.0	0.0	1.0	0	0.0	0.0	27.2	0
Brain and Other Nervous System	4.8	2.6	8.0	16	0.0	0.0	27.2	0
Endocrine System	^	^	^	^	0.0	0.0	27.2	0
Thyroid	0.0	0.0	1.0	0	0.0	0.0	27.2	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	27.2	0
Lymphoma	7.9	4.9	11.9	24	0.0	0.0	27.2	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	27.2	0
Non-Hodgkin Lymphoma	7.7	4.7	11.7	23	0.0	0.0	27.2	0
Myeloma	3.5	1.7	6.4	11	0.0	0.0	27.2	0
Leukemia	10.4	6.8	14.9	32	^	^	^	^
Lymphocytic Leukemia	5.0	2.6	8.5	13	0.0	0.0	27.2	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	27.2	0
Chronic Lymphocytic Leukemia	3.4	1.4	6.5	8	0.0	0.0	27.2	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	27.2	0
Myeloid and Monocytic Leukemia	3.1	1.5	5.7	12	0.0	0.0	27.2	0
Acute Myeloid Leukemia	1.9	0.8	3.9	9	0.0	0.0	27.2	0
Acute Monocytic Leukemia	0.0	0.0	1.0	0	0.0	0.0	27.2	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	27.2	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	27.2	0
Other Leukemia	2.2	0.8	4.7	7	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	27.2	0
Aleukemic, Subleukemic and NOS	1.8	0.6	4.1	6	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	27.2	0
Miscellaneous Malignant Cancer	14.2	10.0	19.4	43	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.



## Cancer Deaths in Alaska, 1996 to 2006, by Race

2006

	Native				Asian/Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	12.3	0
Ureter	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Other Urinary Organs	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Eye and Orbit	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Thyroid	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Other Endocrine including Thymus	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Acute Lymphocytic Leukemia	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Other Lymphocytic Leukemia	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	12.3	0
Acute Monocytic Leukemia	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Other Leukemia	0.0	0.0	4.5	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	4.5	0	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	4.5	0	0.0	0.0	12.3	0
Miscellaneous Malignant Cancer	21.8	12.3	35.3	17	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.